Job assessment form: Evidence collection checklist - Ceiling

Applicant to complete, sign and upload this checklist with job assessment form.

| Full installation address | | |
|---------------------------|------|--|
| Candidates full name | | |
| Signature | Date | |

 Please confirm that you have read and familiarised yourself with the following documents.

 (Tick (✓) all boxes to meet the requirements before proceeding)

 □
 EEC Professional Certifications Framework Rules

 □
 Certified Insulation Installer Sub-Rules

 □
 Code of Conduct (as set out in the Framework Rules)

 □
 Certified Insulation Installer Guide for Candidates

Important information: Electrical Risk Assessment

- Insulation installation must comply with AS 3999:2015 Bulk thermal insulation installation.
- AS 3999:2015 requires a pre-installation inspection, including an electrical risk assessment.
- The pre-installation inspection and documentation must be completed by a licenced electrician or other competent person. A competent person may have a specific definition in your jurisdiction.

Ensure that your electrical risk assessment includes:

(Tick (\checkmark) all boxes to meet the requirements before proceeding)

C Confirmation that the dwelling is wired in accordance with AS 3000-1986 or *subsequent editions*.

<u>OR</u>

Confirmation that the dwelling is <u>not</u> wired in accordance with AS 3000-1986 or *subsequent editions*, but that the electrical cables present are safe to be surrounded by bulk thermal insulation

- A statement on the insulation environment that the cables are suitable for, either: not surrounded, partially surrounded, or completely surrounded in accordance with AS 3999:2015
- **D** The license details of the electrician that completed the ERA or alternative competent person

Photo/video evidence requirements

All photos/videos must be geo-tagged and timestamped. Photos must not be blurry.

Use Timestamp Camera (or alternative app) to take your photos and to record a fiveminute time-lapse video of the insulation install process. Make sure to include yourself in the video, including a clear shot of your face before putting on any facial PPE. If using an alternative app, it needs to show the time and geo-tagged location on your photos and video recording submitted. For the Timestamp Camera follow the QR code to download for Apple and Android smart phones before you attend sites.



Complete this checklist as you conduct the installation process.

| Photo evidence required. | | | | |
|--|---|--|--|--|
| (Tick (\checkmark) all boxes to meet the requirements before proceeding) | | | | |
| | Before you begin: do you have Timestamp Camera or an equivalent app to record a time-lapse video with an onscreen time stamp and geo-tag? | | | |
| | Ceiling space before installation – show installation area of minimum 9 m ² | | | |
| | Ladder at ceiling entry point, any signage, fall protection or barricades installed | | | |
| | Any wiring hazards present | | | |
| | Any appliances present | | | |
| | Hanging tape stapled to each truss/ceiling substrate when strung in (for new build only – i.e., for cathedral ceiling) | | | |
| | Power off, locked out and tagged for duration of install; if a new build, show intended location of distribution board and simulate lock out even if not energised (for example: padlock box correctly even where no distribution board exists) | | | |
| | Record at least five (5) minutes of time-lapse video of installation of insulation within installation area. Make sure to include yourself in the video, including a clear shot of your face before putting on any facial PPE | | | |
| | The following photos are required for each insulated ceiling space at job completion, photos must include all the following five elements and be of the same installation area (minimum 9 m ²) as the before photos submitted: | | | |
| | Under appliances and wiring | | | |
| | Under walk boards | | | |
| | Insulation depth matches job specifications (include photo of job specifications where insulation level is required) | | | |
| | No gaps in insulation coverage, except for hazards | | | |
| | All waste removed: show complete installation area | | | |
| | If present, insulation around downlights in ceiling has satisfactory (but not excessive) clearance or fireproof enclosure, or fixtures must be IC-rated | | | |
| | If present, insulation around electrical appliances in ceiling has satisfactory (but not excessive) clearance | | | |
| | If present, warning sign installed in the roof space where recessed luminaire (for example, downlights) are installed, as required by AS 3999:2015 | | | |





| Other evidence required. | | | | |
|--|------|--|--|--|
| (Tick (\checkmark) all boxes to meet the requirements before proceeding) | | | | |
| | prov | Supporting documentation (e.g., invoice, job order, delivery notice or photo of material packaging etc.) which proves that the materials used satisfy the requirements of AS/NZS 4859.1:2018. It must at minimum include nanufacturer, product name and R Value plus total area to be insulated. | | |
| | | A SWMS associated with this job must be submitted with your application. The SWMS must address the following: | | |
| | | Inclusion of the electrical risk assessment conducted | | |
| | | How you deal with all hazards present when working on or near energised electrical installations or services | | |
| | | The procedure used to (1) turn off the power and (2) turn on the power | | |
| | | How batts were cut to size | | |
| | | If likely to involve disturbing asbestos, state your control measures | | |
| | | Which pieces of personal protective equipment (PPE), signage, fall protection and barricades were used | | |
| | | Work in areas with artificial extremes of temperature or identify the signs of heat stress on days of high temperatures | | |
| | | How installation was completed safely at height, where risk of a person falling more than 2 metres | | |
| | | Ensure non-conductivity of fixing devices and all fixing devices described as non-conductive | | |
| | | Ensure non-conductivity of tools and all tools described as non-conductive | | |
| | | | | |